BEST AVAILABLE COPY

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Baker et al.

Docket No:

39780-2830C1P48

Serial No:

10/015,389

Group Art Unit:

1647

Filed:

December 11, 2001

Examiner:

Rachel B. Kapust

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

Commissioner for Patents Washington, D.C. 20231

DECLARATION OF LUC DESNOYERS, Ph.D., DR. AUDREY GODDARD, Ph.D., DR. PAUL J. GODOWSKI, Ph.D., DR. AUSTIN GURNEY, Ph.D., DR. COLIN K. WATANABE and DR. WILLIAM WOOD, Ph.D. UNDER 37 CFR 1.131

- 1. We are the inventors of the above-identified application.
- 2. We have read and understood the claims pending in this application, and are aware that the claims have been rejected as anticipated by International Patent Application Publication No. WO 00/00610 (Lal *et al.*, publication date January 6, 2000).
- 3. We conceived and reduced to practice the invention claimed in the above-identified application in the United States prior to January 6, 2000.
- 4. At the time the present invention was made, one of the inventors, Luc Desnoyers, Ph.D., was, as still is, responsible for overseeing the testing of novel polypeptides, including the polypeptide designated PRO1412, in chondrocyte proliferation assay (Assay #111, Example 153). This assay is used to find agents that are capable of inducing chondrocyte proliferation and/or redifferentiation, and can, therefore, be used in the treatment of joint diseases using a tissue engineering approach or as promising drug candidates to repair aging or arthritic joints, for example, in which the chondrocytes have been dedifferentiated.

- 5. In this assay, isolated chondrocyte cells are seeded in 96 well plates with either serum-free medium (negative control), staurosporin (positive control) or the test PRO polypeptide. After 5 days, fluorescence dye is added to each plate and measured. The readout of the fluorescence from a plate containing the serum-free medium is measured to establish a background fluorescence level. A positive result in the assay is obtained when the fluorescence of the PRO polypeptide-treated sample is more like that of the positive control than the negative control. This type of fluorescence determination, wherein the readout is compared to positive and negative controls, is well known in the art.
- 6. A copy of a page from the Genengenes database which reports a positive result for the PRO1412 polypeptide encoded by DNA 64897-1628 (UNQ730) in Assay #111 is attached to this declaration (with its date redacted) as Exhibit A. The positive results reported in the database were also obtained prior to January 6, 2000.
- 7. Copies of pages from laboratory notebook showing the positive results for the PRO1412 polypeptide (SEQ ID NO:140), identified by Pin number PIN753-1, in Assay #111 are attached to this declaration (with dates redacted) as Exhibit B. These experiments were performed and the results were obtained prior to January 6, 2000.
- 8. Exhibits A and B clearly show that the polypeptide designated PRO1412 was tested, and its ability to induce the proliferation and/or redifferentiation was determined prior to January 6, 2000.

Lac Desnoyers, Ph.D.	
Audrey Goddard, Ph.D.	Date
Paul J. Godowski, Ph.D.	Date
Austin Gurney, Ph.D.	Date
Colin K. Watanabe	Date
William Wood, Ph.D.	Date

SV 2055606 v1 8/18/04 3:22 PM (39780.2830)

pplicants:

Baker et al.

Docket No:

39780-2830C1P48

Serial No:

10/015,389

Group Art Unit:

1647

Filed:

December 11, 2001

Examiner:

Rachel B. Kapust

For:

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC

ACIDS ENCODING THE SAME

Commissioner for Patents Washington, D.C. 20231

DECLARATION OF LUC DESNOYERS, Ph.D., DR. AUDREY GODDARD, Ph.D., DR. PAUL J. GODOWSKI, Ph.D., DR. AUSTIN GURNEY, Ph.D., DR. COLIN K. WATANABE and DR. WILLIAM WOOD, Ph.D. UNDER 37 CFR 1.131

- 1. We are the inventors of the above-identified application.
- 2. We have read and understood the claims pending in this application, and are aware that the claims have been rejected as anticipated by International Patent Application Publication No. WO 00/00610 (Lal *et al.*, publication date January 6, 2000).
- 3. We conceived and reduced to practice the invention claimed in the above-identified application in the United States prior to January 6, 2000.
- 4. At the time the present invention was made, one of the inventors, Luc Desnoyers, Ph.D., was, as still is, responsible for overseeing the testing of novel polypeptides, including the polypeptide designated PRO1412, in chondrocyte proliferation assay (Assay #111, Example 153). This assay is used to find agents that are capable of inducing chondrocyte proliferation and/or redifferentiation, and can, therefore, be used in the treatment of joint diseases using a tissue engineering approach or as promising drug candidates to repair aging or arthritic joints, for example, in which the chondrocytes have been dedifferentiated.

- 5. In this assay, isolated chondrocyte cells are seeded in 96 well plates with either serum-free medium (negative control), staurosporin (positive control) or the test PRO polypeptide. After 5 days, fluorescence dye is added to each plate and measured. The readout of the fluorescence from a plate containing the serum-free medium is measured to establish a background fluorescence level. A positive result in the assay is obtained when the fluorescence of the PRO polypeptide-treated sample is more like that of the positive control than the negative control. This type of fluorescence determination, wherein the readout is compared to positive and negative controls, is well known in the art.
- 6. A copy of a page from the Genengenes database which reports a positive result for the PRO1412 polypeptide encoded by DNA 64897-1628 (UNQ730) in Assay #111 is attached to this declaration (with its date redacted) as Exhibit A. The positive results reported in the database were also obtained prior to January 6, 2000.
- 7. Copies of pages from laboratory notebook showing the positive results for the PRO1412 polypeptide (SEQ ID NO:140), identified by Pin number PIN753-1, in Assay #111 are attached to this declaration (with dates redacted) as Exhibit B. These experiments were performed and the results were obtained prior to January 6, 2000.
- 8. Exhibits A and B clearly show that the polypeptide designated PRO1412 was tested, and its ability to induce the proliferation and/or redifferentiation was determined prior to January 6, 2000.

<u> </u>	
Luc Desnoyers, Ph.D.	Date
a Saddael	8/19/04
Audrey Goddard, Ph.D.	Date
Paul J. Godowski, Ph.D.	Date
e de la companya de	
Austin Gurney, Ph.D.	Date
Colin K. Watanabe, Ph.D.	Date
•	
William Wood, Ph.D.	Date

SV 2055606 v1 8/18/04 2:52 PM (39780.2830)

Applicants:

Baker et al.

Docket No:

39780-2830C1P48

Serial No:

10/015,389

Group Art Unit:

1647

Filed:

December 11, 2001

Examiner:

Rachel B. Kapust

For:

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC

ACIDS ENCODING THE SAME

Commissioner for Patents Washington, D.C. 20231

DECLARATION OF LUC DESNOYERS, Ph.D., DR. AUDREY GODDARD, Ph.D., DR. PAUL J. GODOWSKI, Ph.D., DR. AUSTIN GURNEY, Ph.D., DR. COLIN K. WATANABE and DR. WILLIAM WOOD, Ph.D. UNDER 37 CFR 1.131

- 1. We are the inventors of the above-identified application.
- 2. We have read and understood the claims pending in this application, and are aware that the claims have been rejected as anticipated by International Patent Application Publication No. WO 00/00610 (Lal *et al.*, publication date January 6, 2000).
- 3. We conceived and reduced to practice the invention claimed in the above-identified application in the United States prior to January 6, 2000.
- 4. At the time the present invention was made, one of the inventors, Luc Desnoyers, Ph.D., was, as still is, responsible for overseeing the testing of novel polypeptides, including the polypeptide designated PRO1412, in chondrocyte proliferation assay (Assay #111, Example 153). This assay is used to find agents that are capable of inducing chondrocyte proliferation and/or redifferentiation, and can, therefore, be used in the treatment of joint diseases using a tissue engineering approach or as promising drug candidates to repair aging or arthritic joints, for example, in which the chondrocytes have been dedifferentiated.

- In this assay, isolated chondrocyte cells are seeded in 96 well plates with either serum-free medium (negative control), staurosporin (positive control) or the test PRO polypeptide. After 5 days, fluorescence dye is added to each plate and measured. The readout of the fluorescence from a plate containing the serum-free medium is measured to establish a background fluorescence level. A positive result in the assay is obtained when the fluorescence of the PRO polypeptide-treated sample is more like that of the positive control than the negative control. This type of fluorescence determination, wherein the readout is compared to positive and negative controls, is well known in the art.
- 6. A copy of a page from the Genengenes database which reports a positive result for the PRO1412 polypeptide encoded by DNA 64897-1628 (UNQ730) in Assay #111 is attached to this declaration (with its date redacted) as Exhibit A. The positive results reported in the database were also obtained prior to January 6, 2000.
- 7. Copies of pages from laboratory notebook showing the positive results for the PRO1412 polypeptide (SEQ ID NO:140), identified by Pin number PIN753-1, in Assay #111 are attached to this declaration (with dates redacted) as Exhibit B. These experiments were performed and the results were obtained prior to January 6, 2000.
- 8. Exhibits A and B clearly show that the polypeptide designated PRO1412 was tested, and its ability to induce the proliferation and/or redifferentiation was determined prior to January 6, 2000.

Luc Desnoyers, Ph.D.	Date
Audrey Goddard/Ph.D. audrey Goddard/Ph.D. Paul J. Godowski, Ph.D.	Date
Austin Gurney, Ph.D.	Date
Colin K. Watanabe	Date
William Wood, Ph.D.	Date

SV 2055606 v1 8/18/04 3:22 PM (39780.2830)

Applicants:

Baker et al.

Docket No:

39780-2830C1P48

Serial No:

10/015,389

Group Art Unit:

1647

Filed:

December 11, 2001

Examiner:

Rachel B. Kapust

For:

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC

ACIDS ENCODING THE SAME

Commissioner for Patents Washington, D.C. 20231

DECLARATION OF LUC DESNOYERS, Ph.D., DR. AUDREY GODDARD, Ph.D., DR. PAUL J. GODOWSKI, Ph.D., DR. AUSTIN GURNEY, Ph.D., DR. COLIN K. WATANABE and DR. WILLIAM WOOD, Ph.D. UNDER 37 CFR 1.131

- 1. We are the inventors of the above-identified application.
- 2. We have read and understood the claims pending in this application, and are aware that the claims have been rejected as anticipated by International Patent Application Publication No. WO 00/00610 (Lal *et al.*, publication date January 6, 2000).
- 3. We conceived and reduced to practice the invention claimed in the above-identified application in the United States prior to January 6, 2000.
- 4. At the time the present invention was made, one of the inventors, Luc Desnoyers, Ph.D., was, as still is, responsible for overseeing the testing of novel polypeptides, including the polypeptide designated PRO1412, in chondrocyte proliferation assay (Assay #111, Example 153). This assay is used to find agents that are capable of inducing chondrocyte proliferation and/or redifferentiation, and can, therefore, be used in the treatment of joint diseases using a tissue engineering approach or as promising drug candidates to repair aging or arthritic joints, for example, in which the chondrocytes have been dedifferentiated.

- 5. In this assay, isolated chondrocyte cells are seeded in 96 well plates with either serum-free medium (negative control), staurosporin (positive control) or the test PRO polypeptide. After 5 days, fluorescence dye is added to each plate and measured. The readout of the fluorescence from a plate containing the serum-free medium is measured to establish a background fluorescence level. A positive result in the assay is obtained when the fluorescence of the PRO polypeptide-treated sample is more like that of the positive control than the negative control. This type of fluorescence determination, wherein the readout is compared to positive and negative controls, is well known in the art.
- 6. A copy of a page from the Genengenes database which reports a positive result for the PRO1412 polypeptide encoded by DNA 64897-1628 (UNQ730) in Assay #111 is attached to this declaration (with its date redacted) as Exhibit A. The positive results reported in the database were also obtained prior to January 6, 2000.
- 7. Copies of pages from laboratory notebook showing the positive results for the PRO1412 polypeptide (SEQ ID NO:140), identified by Pin number PIN753-1, in Assay #111 are attached to this declaration (with dates redacted) as Exhibit B. These experiments were performed and the results were obtained prior to January 6, 2000.
- 8. Exhibits A and B clearly show that the polypeptide designated PRO1412 was tested, and its ability to induce the proliferation and/or redifferentiation was determined prior to January 6, 2000.

Luc Desnoyers, Ph.D.	Date
Audrey Goddard, Ph.D.	Date
Paul J. Gódowski, Ph.D. Austin Gurney, Ph.D.	Date Date
Colin K. Watanabe, Ph.D.	Date
William Wood, Ph.D.	 Date

SV 2055606 v1 8/18/04 2:52 PM (39780.2830)

plicants:

Baker et al.

Docket No:

39780-2830C1P48

Serial No:

10/015,389

Group Art Unit:

1647

Filed:

December 11, 2001

Examiner:

Rachel B. Kapust

For:

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC

ACIDS ENCODING THE SAME

Commissioner for Patents Washington, D.C. 20231

DECLARATION OF LUC DESNOYERS, Ph.D., DR. AUDREY GODDARD, Ph.D., DR. PAUL J. GODOWSKI, Ph.D., DR. AUSTIN GURNEY, Ph.D., DR. COLIN K. WATANABE and DR. WILLIAM WOOD, Ph.D. UNDER 37 CFR 1.131

- 1. We are the inventors of the above-identified application.
- 2. We have read and understood the claims pending in this application, and are aware that the claims have been rejected as anticipated by International Patent Application Publication No. WO 00/00610 (Lal *et al.*, publication date January 6, 2000).
- 3. We conceived and reduced to practice the invention claimed in the above-identified application in the United States prior to January 6, 2000.
- 4. At the time the present invention was made, one of the inventors, Luc Desnoyers, Ph.D., was, as still is, responsible for overseeing the testing of novel polypeptides, including the polypeptide designated PRO1412, in chondrocyte proliferation assay (Assay #111, Example 153). This assay is used to find agents that are capable of inducing chondrocyte proliferation and/or redifferentiation, and can, therefore, be used in the treatment of joint diseases using a tissue engineering approach or as promising drug candidates to repair aging or arthritic joints, for example, in which the chondrocytes have been dedifferentiated.

- 5. In this assay, isolated chondrocyte cells are seeded in 96 well plates with either serum-free medium (negative control), staurosporin (positive control) or the test PRO polypeptide. After 5 days, fluorescence dye is added to each plate and measured. The readout of the fluorescence from a plate containing the serum-free medium is measured to establish a background fluorescence level. A positive result in the assay is obtained when the fluorescence of the PRO polypeptide-treated sample is more like that of the positive control than the negative control. This type of fluorescence determination, wherein the readout is compared to positive and negative controls, is well known in the art.
- 6. A copy of a page from the Genengenes database which reports a positive result for the PRO1412 polypeptide encoded by DNA 64897-1628 (UNQ730) in Assay #111 is attached to this declaration (with its date redacted) as Exhibit A. The positive results reported in the database were also obtained prior to January 6, 2000.
- 7. Copies of pages from laboratory notebook showing the positive results for the PRO1412 polypeptide (SEQ ID NO:140), identified by Pin number PIN753-1, in Assay #111 are attached to this declaration (with dates redacted) as Exhibit B. These experiments were performed and the results were obtained prior to January 6, 2000.
- 8. Exhibits A and B clearly show that the polypeptide designated PRO1412 was tested, and its ability to induce the proliferation and/or redifferentiation was determined prior to January 6, 2000.

Luc Desnoyers, Ph.D.	Date
Audrey Goddard, Ph.D.	Date
Paul J. Godowski, Ph.D.	Date
Austin Gurney, Ph.D.	Date
Colin K. Watanabe, Ph.D.	Ang 24, 2014 Date J
William Wood Ph D	Date

8/18/04 2:52 PM (39780.2830)

Applicants:

Baker et al.

Docket No:

39780-2830C1P48

Serial No:

10/015,389

Group Art Unit:

1647

Filed:

December 11, 2001

Examiner:

Rachel B. Kapust

For:

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC

ACIDS ENCODING THE SAME

Commissioner for Patents Washington, D.C. 20231

DECLARATION OF LUC DESNOYERS, Ph.D., DR. AUDREY GODDARD, Ph.D., DR. PAUL J. GODOWSKI, Ph.D., DR. AUSTIN GURNEY, Ph.D., DR. COLIN K. WATANABE and DR. WILLIAM WOOD, Ph.D. UNDER 37 CFR 1.131

- 1. We are the inventors of the above-identified application.
- 2. We have read and understood the claims pending in this application, and are aware that the claims have been rejected as anticipated by International Patent Application Publication No. WO 00/00610 (Lal *et al.*, publication date January 6, 2000).
- 3. We conceived and reduced to practice the invention claimed in the above-identified application in the United States prior to January 6, 2000.
- 4. At the time the present invention was made, one of the inventors, Luc Desnoyers, Ph.D., was, as still is, responsible for overseeing the testing of novel polypeptides, including the polypeptide designated PRO1412, in chondrocyte proliferation assay (Assay #111, Example 153). This assay is used to find agents that are capable of inducing chondrocyte proliferation and/or redifferentiation, and can, therefore, be used in the treatment of joint diseases using a tissue engineering approach or as promising drug candidates to repair aging or arthritic joints, for example, in which the chondrocytes have been dedifferentiated.

- 5. In this assay, isolated chondrocyte cells are seeded in 96 well plates with either serum-free medium (negative control), staurosporin (positive control) or the test PRO polypeptide. After 5 days, fluorescence dye is added to each plate and measured. The readout of the fluorescence from a plate containing the serum-free medium is measured to establish a background fluorescence level. A positive result in the assay is obtained when the fluorescence of the PRO polypeptide-treated sample is more like that of the positive control than the negative control. This type of fluorescence determination, wherein the readout is compared to positive and negative controls, is well known in the art.
- 6. A copy of a page from the Genengenes database which reports a positive result for the PRO1412 polypeptide encoded by DNA 64897-1628 (UNQ730) in Assay #111 is attached to this declaration (with its date redacted) as Exhibit A. The positive results reported in the database were also obtained prior to January 6, 2000.
- 7. Copies of pages from laboratory notebook showing the positive results for the PRO1412 polypeptide (SEQ ID NO:140), identified by Pin number PIN753-1, in Assay #111 are attached to this declaration (with dates redacted) as Exhibit B. These experiments were performed and the results were obtained prior to January 6, 2000.
- 8. Exhibits A and B clearly show that the polypeptide designated PRO1412 was tested, and its ability to induce the proliferation and/or redifferentiation was determined prior to January 6, 2000.

Luc Desnoyers, Ph.D.	Date
Audrey Goddard, Ph.D.	Date
Paul J. Godowski, Ph.D.	Date
Austin Gurney, Ph.D.	Date
Colin K. Watanabe	Date
William Wood, Ph.D.	<u> </u>

SV 2055606 v1 8/18/04 3:22 PM (39780.2830)

			PIN753-1 PIN764-1 PIN1210-	
				Select gage
Additional Resources:			All PIN All DNA Show Folsifor JNO 2 30 Include UNQ Related Lots	R SBUCK AND WASSETPHEN TO TO THE SBUCK AND THE SECOND WILLIAMS THE SECOND WILLIAMS THE SECOND WAS THE SECOND WAS THE SECOND WOLF THE SECOND WAS THE SECOND W
III awar Additional	<u>(50</u>		All DNA All DNA Show Ereishb UNO NUMBereish 730 Clinclude UN	TSBETCH MEDINASSERVINE TOTAL SEGUE TOTAL
				WANTE STATE OF THE
	ENENUB (d		ophy y y y ell proliferation urvival f (5-6 days cultur silon ulated endothella on [induction of].	LOGIE GORINGE CONTROLL OF THE PERSON IN THE
	(Revis-Lenn) - Inder-Coenen (Rinda) - Isho - Inna - Coenen (Rido) - Isbin - Cene - Cene - Cene	iewer-	ASY1 Heart Neonatal Hypertrophy ASY2 Heart Adult Hypertrophy ASY3 Adipocyte Lipolysis ASY4 Adipocyte Lipolysis ASY4 Hipocoyte Lipogenesis ASY5 Hematopolesis: stem cell proliferation ASY6 Hippocampal Neuron Survival ASY7 Retinal Neuron Survival (5-6 days cultur ASY8 Endothelial cell proliferation ASY9 Inhibition of VEGF stimulated endothella ASY10 Eosinophil degranulation [induction of] ASY11 B cell IgE synthesis inhibition	All Positives Verified Positives Pending
	vieli (Reve vievieli (Roks) Wellski (Refo)	General Assay Viewe	ASY1 Hearl ASY2 Hearl ASY3 Adipc ASY4 Adipc ASY5 Heme ASY6 Hippo ASY7 Retine ASY9 Endot ASY9 Inhibit ASY11 B cell ASY11 B cell	Solitives Verified Positives F
	VORVE VIE POURTVOR VORBANIVE			All Posit

Primary Assay Result Assay ID Assay Name Assay Date


ASY111 Chondrocytes Proliferation Assay

otebook Num	XXXXX-XX			1%	1 14	176	1%	1%	1%	1%	1%	1%
	1%	1 1%	170	178	1%				-	10	11.	12
		F 2	1. 3	1 4	3 /		- 		PIN738-1	PIN742-1	PIN748-1	I PIN750-1
	Staurgsgonn	Staurosporin	Staurosporin	PIN717-1	PIN721-1	PtN725-1	PIN730-1	PIN734-1	MW120-1	F181-44-1	1. "	
Â	Media	Media	Media					PIN735-1	PIN739-1	PIN743-1	PIN747-1	PIN751-1
č	PIN708-1	PIN711-1	PtN714-1	PIN718-1	PIN722-1	PIN727-1	PIN731-1	PSP47 33+1	C041 35*1	,	F	
Ď		·	1				PtN732-1	PIN738-1	PtN740-1	PIN744-1	PIN748-1	PtN732-1
· Ě	PIN709-1	PIN712-1	PIN715-1 .	PIN719-1	PIN724-1	PIN728-1	PtN/32-1	P101 3001	1111111111			
ē		l	1		<u> </u>			PIN737-1	PIN741-1	PIN745-1	PIN749-1	PIN753-1
	PIN710-1	PIN713-1	PIN716-1	PIN720-1	PIN725-1	PtN729-1	PIN733-1	MIN 31-1	10141414	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	F	1 .

			,	1	4	- S	6	' 7				199.4	82,1	1
				98,4	100,4	173.2	166.5	166.6	103.1	74.4	68.0	155.6	119.8	1.
. 1	· •	86,1	67.1	30	144.4	98.6	103.6	118.8	75.5	89.1	104.1	78.5		4
	8	81.1	-159.7	94.4	69.1	58.5	84.9	60.4	56.6	67.8	56.6	63.7	107.2	1
	l c	- 85.4	91.8	89.5	72.8	54.7	37.2	60.3	56,4	70.9	75.3	79.5	119.0	-i ·
	1 0	54.5	102.4	73.9			51.1	59.7	47,5	74.3	721	52.5	175.3	1
	e .	102.9	73.5	58.0	71.4	55.9	63.0	76.2	56.8	50.8	81.4	84.6	180.5	- ۱۰۰
		59.9	102.3	60.7	131.8	84.7	57.6	84,5	73.5	17.2	64.9	162.5	163.7	12
		116.0	125.9	159.3	105,5	17.5		128.4	125.7	95.4	137.9	172.1	. 139.5	ノ
			فحصدا	1920 '	193.6	161.4	124.0	1,40.4						

Conc			1.00%				
PIN \$	N1	N2	AVERAGE	STOEV	Positive	Verified	Comments
PIN708-1	0.788	0,780	0,784	0.0			
PIN709-1	0.949	0.645	0.797	0.2			
PIN710-1	1.070	1.331	1,201	0.2			
PIN711-1	0.847	0.945	0.696	0.1		1	
PIN712-1	0.678	0,944	0.811	0.2			1. 1. 1. 1.
PIN713-1	1.162	0.941	1.052	0.2			1
PIN714-1	0.626	0.597	9,762	0.1			
PIN715-1	0.535 -	0.744	0.640	0.1			
PIN716-1	1,489	1,771	1,620	0.2	Pestive		
PIN717-1	0.925	1.333	1,129	0.3			
PIN718-1	0.822	0.653	0.738	0.1			1 11 1
PIN719-1	0.659	1,216	0.938	0.4	l .		1
PIN720-1	0.973	1,786	1.380	0.0	Pesitive		5, 5
	1,598	0.910	1.254	0.5	1.	1	1
PIN721-1	0.632	0.597	0.614	0.0	l .		
PIN722-1	0.515	0.781	0.548	0.2	1	1.	
PIN724-1	0.715	1,489	1,102	0.5	1 . ' :		1
PIN725-1	1,537	0.956	1.246	0.4	4		1
PIN726-1	0.599	0.343	0.471	0,2		4 7 7	
PIN727-1	0.471	0.774	0.623	0.2	1 3		1 .
PIN728-1	0.532	1,144	0.838	0.4	1 1 1 1		1 1 1 1
PIN729-1		1.096	1,317	0.3	Positive .		.l
PIN730-1	1.538	0.556	0.557	0.0		1	1
PIN731-1	0.557	0.722	0.636	0.1	1 '		
PIN732-1	0.551	1,184	0.890	0.4			1
PIN733-1	0.595		0.524	0.2	1 .		1
PIN734-1	0.951	0.697	0.521	0.0	1 - "	1.	1
PIN735-1	0.522	0.520	0.527	0.1	1 •		li .
PIN736-1	0,438	0.617		دة	1		
PIN737-1	0,678	1.159	0.919	ا قا	· · · ·	1	-
PIN738-1	0.586	0.824	0.755	0.0	1 .		i .
PIN739-1	0.624	0.654	0.639		- P	1 . ' '	
P1N740-1	0.688	0.635	0,660	0.1		.	1.7.1
PIN741-1	0,712	0.880	0,798	0.1	1 '	J	· [
PIN742-1	0,612	0.961	0.885	0.1	i	1.	
PIN743-1	0.541	0.695	0,618				
PIN744-1	0.665	0.751	0.708	0.1			1 .
PIN745-1	0,599	1,272	0.935			` .	1
PIN746-1	1,436	0,724	1,060-	0.5	1	1	1
PIN747-1	0.588	0,733	. 0.661	0.1		i.	
PIN748-1	0.484	0,781	0.633	0.2	la		
PIN749-1	1.684	1,588	1,636	0.1	Positive	. j	1.
PIN750-1	0,757	1,105	0.931	0.2		1.1	
PIN751-1	0.989	1,104	1,046	0.1	٠ دا .		
PIN752-1	1.618	1,665	1.842	0.0	Positive	1	
PIN753-1	1,695	1.287	1,491	0.3	Positive		

٠.			
GRAPH			
PINS		Average	STOEV
PIN708-1	- 1	0.78	0.0
PIN709-1		0.80	0.2
PIN710-1		1.20	0.2
PIN711-1		0,90	0.1
PIN712-1		0.81	0.2
PIN713-1		1.05	.0.2
PIN714-1	ľ	0.76	0.1
PIN715-1		0.64	0.1
PIN716-1		1.62	0.2
PIN717-1		1,13	0.3
P1N718-1	1	0,74	0.1
PIN719-1		0.94	0.4
PIN720-1		1.38	0.6
PIN721-1	1	1.25	0.5
PIN722-1		0.61	0.0
PIN724-1		0.65	0.2
PIN725-1		1.10	0.5
PIN726-1	.1	1.25	0.4
PIN727-1	l l	0.47	. 0.2
PIN728-1	· [0.62	0.2
PIN729-1		0.84	0.4
PIN730-1	1.	1.32	0.3
PIN731-1 ·		0.56	0.0
PIN732-1		0.64	0.1
PIN733-1	į	0.89	0.4
PIN734-1		0.62	0.2
PIN735-1	* .	0.52	0.0
PIN736-1		0.53	0.1
PIN737-1		0.92	0.3
PIN738-1		0.76	0.1
PIN739-1 .	İ	0.64	0.0
P1N740-1		0.66	0.0
P!N741-1	ł	0.80	0.1
PIN742-1	. 1	0.89	0.1
PIN743-1	, J	0.62	0.1
PIN744-1		0.71	0.1
PIN745-1	. 1	6.94	0.5
PIN745-1	l	1.08	0.5
PIN747-1		0.66	0.1
PIN748-1	I	0.63	0.2
PIN749-1		1,64	0.1
PIN750-1		0.93	0.2
PIN751-1		1.05	0.1
PIN752-1		1.54	0.0
PIN753-1		1 49	0.3



ssed & Understood by me,

Date

invented by

Date

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.